

ORDER FORM



Purchase Order:	Quote :	Requested	Site Date:		
BUILDER INFORMATION:					
Company :			Office Phone :		
Office Contact :	Cell:				
Contact E-mail :			Office Fax :		
JOBSITE: Shipping Address	s/Contact/SiteLegal				
Building Use :	Ship Via :				
Customer & Project :					
Address :					
City / Town :	Prov / State :				
Country:	Postal / Zip Code :				
Site Contact Name :	Cell:				
Site Legal Description :					
PRICING and OPTIONS:					
List Below : Base Quote ar	nd Options to be included		Weight (lbs)	Price	
Base Building as per Q	uote Number				
	Tokal (a ok in olive	lin ar Tarvas)			
	Total (not includ				
SPECS, DRAWINGS and SKI	ETCHES: Provide drawings or a sketch indicating locations of	f all framed op	enings		
Have Independent Engineer	or Consultant Specs been provided : NO YES	S			
Have architectural or your o	own drawings been provided : NO YES	S			
If BEHLEN preliminary quote	e drawings were provided, are the openings and details correc	ct? NO	YES		
List Below: ID Numbers of S	ketches, Architectural Drawings, or Specs / Addendums Provid	<u>ded</u>			
ADDITIONAL NOTES / SHIP	PING NOTES / SPECIAL REQUIREMENTS:				
BEHLEN DRAWINGS:	Please select ONE option below for your Approval drawing set				
	uired for Approval Drawing Response :	Overdue resp	oonse will cause delays t	o your schedule!	
"Approval / Information" [
OR					
"Permit" Drawings:	(1) Set of 11" x 17" will be E-mailed to the Builder's Office for	Approval/perm	nit (note if this option	is selected this is your	
	nse will be required to proceed)				
"Construction" Drawings:	(1) Set of 11" x 17" will be E-mailed to the Builders Office and	l (1) Set sent wi	ith the building loads.		
I have read and	daccept BEHLENINDUSTRIES LP CONDITIONS OF SALE				
Order Date :	Builder Signature :				
	Please complete page 2 PPIOP to	Digitally Signir	٠,٠		

CLADDING and TRIM COLOURS:

	lour Chart or lists below are available at additional cost, please consult your estimator					
Select colors for all items below that are in	•					
Roof Panels Screw Down:	Common Tribus					
Roof Panels SSR:						
Wall Exterior Panels :	Eave, Gable & Gutter Trim:					
Wall Exterior Accent Panels :	Base Trim :					
Liner Roof Panels :	Downspouts :					
Liner Wall / Partition Panels :	Eave & Gable Soffit :					
Canopy Roof Panels:	Canopy Soffit:					
Liner Profile above Overhead Door :						
Base Elevation of Exterior Cladding Panels :	1" Below Floor 1" Below Top of Curb Other - Provide Notes					
Base Elevation of Interior Liner Panels :	To the Floor @ Top of Curb Other - Provide Notes					
COMPLETE ORDER CHECKLIST:						
Load Conditions: (confirm you have reviewed the load	s used on your quote & made corrections if necessary) YES					
Drawing Measurements: (confirm your requirements) Imperial Metric					
Roof Top Units (HVAC):	NO YES - Data Sheets Attached Other - Provide Notes					
Suspended Units (HVAC) :	NO YES - Data Sheets Attached Other - Provide Notes					
Cranes or Monorails :	NO YES - Data Sheets Attached Other - Provide Notes					
Mezzanine :	NO YES - Independent YES - By BEHLEN Use of Floor:					
Non Standard Doors (B-fold, Sliding, Rolling) :	NO YES - Data Sheets Attached Other - Provide Notes					
Open Wall Area / Existing Building :	NO YES - Information Attached Other - Provide Notes					
Parapets / Fascia / Façade :	NO YES - Information Attached Other - Notes and / or Drawings or Sketches Required					
Canopies :	NO YES - Standard YES - Custom - Notes and / or Drawings or Sketches Required					
GROUT, CURBS and DADO Walls:						
Grout: NO YES Confirm Thickn	ess: (Maximum 1.0" or 25mm)					
Curb: NO YES Height:	Height Varies - Notes and / or Drawings or Sketches Required					
Dado Wall : NO YES Height :	Height Varies - Notes and / or Drawings or Sketches Required					
	cated Outside of Girt Cavity Other - Provide Notes Dado Wall Width :					
BASE PLATE ELEVATIONS: Frame, Endwall and I	·					
Frame: @ Floor Top of Curb or Dado	Wall Elevation Varies - Notes and / or Drawings or Sketches Required					
Endwall : @ Floor Top of Curb or Dado						
	ion Varies - Drawing or Sketch Required Distance: Above Floor Below Floor					
FRAMED OPENINGS: Sill and Jamb Elevations						
Overhead Door Sill: @ Floor Top of Cu	urb Other - Provide Notes Jamb: @ Floor Top of Curb Other - Provide Notes					
Walk Door Sill: @ Floor Top of Cu						
INSULATION and THERMAL BLOCK and FASTEN						
Fasteners: Insulation affects the fasteners chose	en or supplied - unless otherwise requested - BEHLEN will supply Standard Fasteners as noted					
in our Standard Details (page SD1K and Detail SS	R 05 page SD8C) that work with the insulation and thermal conditions you have supplied.					
Wall Insulation / Thermal System :	Thickness:					
Roof Insulation / Thermal System : Thickness :						
Wall Thermal Block :	Thickness:					
Roof Thermal Block :	Thickness:					
Roof Thermal Block Location :						
ADDITIONAL NOTES:						



IMP PACKAGE DETAILS:

**COMPLETE THIS SECTION ONLY IF YOU HAVE PURCHASED AN IMP PACKAGE WITH YOUR BUILDING ORDER. Please note that Behlen standard colours for regular cladding are different than Behlen standard colours for IMP.

	Thickness	Gauge	Panel Profile (Skyline SSR, Horizon Wall, Leading Edge Wall)	Steel Profile (Mesa or Flat)	Finish (Smooth, Light Embossed, Heavy Embossed)	Colour
ROOF EXTERIOR Panel						
ROOF INTERIOR Panel						
WALL EXTERIOR Panel						
WALL INTERIOR Panel						
Ridge Cap EXTERIOR	-		-	-		
Ridge Cap INTERIOR	-		-	-		
Framed Openings	-		-	-		
Corner Trim	-		-	-		
Eave & Gable Trim	-		-	-		
Base Trim	-		-	-		
Gutters	-		-	-		
Downspouts	-		-	-		

PLEASE NOTE THE FOLLOWING:

- All information regarding your IMP package must be provided at time of order submission, including colours, as some colours can take up to 12 weeks to order. IMP packages will not be reconciled until all information on the above chart has been provided.
- Custom Colours NOT listed above can be purchased at an additional cost. Consult with your Estimator regarding pricing and availability.