

## **ORDER FORM**



Purchase Order :	Quote :	Requested	Site Date :				
BUILDER INFORMATION:							
Company:			Office Phone :				
Office Contact :			Cell :				
Contact E-mail :			Office Fax :				
JOBSITE: Shipping Address/Cont	act/Site Legal						
Building Use :		Ship Via:					
Customer / Owner :		Project Name:					
Address :							
City / Town :			Prov / State :				
Country :		Postal / Zip Code :					
Site Contact Name :			Cell :				
Site Legal Description :							
PRICING and OPTIONS:							
List Below : Base Quote and Option	ns to be included		Weight (lbs)	Price			
Base Building as per Quote Nu	mber						
	Tota	l (not including Taxes)					
SPECS, DRAWINGS and SKETCHES	S: Provide drawings or a sketch indicatin	ng locations of all framed o	penings				
Have Independent Engineer or Con	sultant Specs been provided : NC	YES					
Have architectural or your own dra	wings been provided : NO	YES					
If BEHLEN preliminary quote drawin	ngs were provided, are the openings and o	details correct :	NO YES				
	, Architectural Drawings, or Specs / Adder		- 🗀 -				
ADDITIONAL NOTES / SHIPPING N	OTES / SPECIAL REQUIREMENTS:						
BEHLEN DRAWINGS:							
Number of working days required	for Approval Response :	Overdue response wil	cause delays to your sche	dule!			
	" x 17" will be E-mailed to the Builder's Of	ffice for Approval/permit					
PLEASE NOTE: Your Permit Drawi	ings will act as a set of Approval Drawing	s and a response will be re	quired to proceed with	fabrication			
"Construction" Drawings: (1) Set	of 11" x 17" will be E-mailed to the Builde	ers Office and (1) Set sent v	vith the building loads				
I have read and accep	ot BEHLEN INDUSTRIES LP CONDITIONS O	F SALE					
Order Date :	Builder Signature :						

CLADDING and TRIM COLOURS:			
**Custom Colours not on the Standard	Colour Chart or lists below	are available at additional cost,	olease consult your estimator
Select colors for all items below that are	e included in your order		
Roof Panels Screw Down :		Framed Opening Trim:	
Roof Panels SSR :		Corner Trim :	
Wall Exterior Panels :		Eave (Gutter) & Gable Trim :	
Wall Exterior Accent Panels :		Base Trim :	
Liner Roof Panels :		Downspouts :	
Liner Wall / Partition Panels :		Eave & Gable Soffit :	
Canopy Roof Panels :		Canopy Soffit :	
Liner Profile Above Overhead Door :		-	
Base Elevation of Exterior Cladding Panels :	1" Below Floor	1" Below Top of Curb	Other - Provide Notes
Base Elevation of Interior Liner Panels :	To the Floor	@ Top of Curb	Other - Provide Notes
COMPLETE ORDER CHECKLIST.			
COMPLETE ORDER CHECKLIST:  Load Conditions : (confirm you have reviewed the load)	ids used on your quote & mad	le corrections if necessary)	YES
Drawing Measurements : (confirm your requiremen		Metric	
Roof Top Units (HVAC) :			er - Provide Notes
Suspended Units (HVAC) :			er - Provide Notes
Cranes or Monorails :		H	er - Provide Notes
Mezzanine :	NO YES - Indepe		
Non Standard Doors (Bi-Fold, Sliding, Rolling):			er - Provide Notes
Open Wall Area / Existing Buildings :	NO YES - Inform	nation Attached Othe	er - Provide Notes
Parapets / Fascia / Façade :	NO YES - Inform	nation Attached Othe	er - Notes and / or Drawings or Sketches Req'd
Canopies:	NO YES - Standa		Notes and / or Drawings or Sketches Req'd
GROUT, CURBS and DADO WALLS:	_	<del>_</del>	
	irm Thickness :	(Maximum of 1.0" or 25	mm)
Curb: NO YES Heig		eight Varies - Notes and / or Drawi	
Dado Wall : NO YES Heig	ht : H	eight Varies - Notes and / or Drawi	ngs or Sketches Req'd
Located in Girt Cavity	Located Outside of Gi	rt Cavity Other - Provide	Notes Dado Wall Width :
BASE PLATE ELEVATIONS: Frame, Endwall and	Interior Columns		
Frame : @ Floor Top of Curb or		evation Varies - Notes and / or Dra	wings or Sketches Reg'd
Endwall : @ Floor Top of Curb or		evation Varies - Notes and / or Dra	
Interior : None @ Floor		wing or Sketch Req'd Distance :	Above Floor Below Floor
FRAMED OPENINGS: Sill and Jamb Elevations			
Overhead Door Sill : @ Floor Top of Cui		otes Jamb : @ Floor	Top of Curb Other - Provide Notes
Walk Door <b>Sill</b> : @ Floor Top of Cui	<u> </u>		Top of Curb Other - Provide Notes
INSULATION and THERMAL BLOCK and FASTE		hamilton and a principal will	Laurania Chanadand Fastanana as a satud
Fasteners: Insulation affects the fasteners cho in our Standard Details (page <u>SD1K</u> and Detail		•	• • •
Wall Insulation / Thermal System :	ook oo page <u>abbee</u> ) that w	Thickness:	marconations you have supplied.
Roof Insulation / Thermal System :		Thickness:	
Wall Thermal Block :		Thickness:	
Roof Thermal Block :		Thickness :	
Roof Thermal Block Location :			
ADDITIONAL NOTES:			



## **IMP PACKAGE DETAILS:**

\*\*COMPLETE THIS SECTION ONLY IF YOU HAVE PURCHASED AN IMP PACKAGE WITH YOUR BUILDING ORDER. Please note that Behlen standard colours for regular cladding are different than Behlen standard colours for IMP.

	Thickness	Gauge	Panel Profile (Skyline SSR, Horizon Wall, Leading Edge Wall)	Steel Profile (Mesa or Flat)	Finish (Smooth, Light Embossed, Heavy Embossed)	Colour
ROOF EXTERIOR Panel						
ROOF INTERIOR Panel						
WALL EXTERIOR Panel						
WALL INTERIOR Panel						
ACCENT/ADD'L EXTERIOR Panel						
ACCENT/ADD'L INTERIOR Panel						
Ridge Cap EXTERIOR	-		-	-		
Ridge Cap INTERIOR	-		-	-		
Framed Openings	-		-	-		
Corner Trim	-		-	-		
Eave (Gutter) & Gable Trim	-		-	-		
Base Trim	-		-	-		
Downspouts	-		-	-		

## PLEASE NOTE THE FOLLOWING:

- All information regarding your IMP package must be provided at time of order submission, including colours, as some colours can take up to 12 weeks to order. IMP packages will not be reconciled until all information on the above chart has been provided.
- 22 Gauge material is considered "Custom" and is purchased to order please note that these coils have a 12-16 week lead time from time of order.
- Custom Colours NOT listed above can be purchased at an additional cost. Consult with your Estimator regarding pricing and availability.
- 22 Gauge colour selections cannot be changed once the order has been placed materials are not ordered until approvals have been signed and returned.

**BEHLEN**