

## **ORDER FORM**



| Purchase Order :                 | Quote: Requeste   | ed Site Date :                          |               |  |  |  |
|----------------------------------|---|---|---------------|--|--|--|
| BUILDER INFORMATION:             |   |   |               |  |  |  |
| Company :                        |   | Office Phone :                          |               |  |  |  |
| Office Contact :                 |   | Cell :                                  |               |  |  |  |
| Contact Email :                  |   | Office Fax :                            |               |  |  |  |
| JOBSITE: Shipping Address/Co     | ontact/Site Legal: Include any special shipping notes at the bottom       | of Page 2                               |               |  |  |  |
| Building Use :                   | Ship Via:   |   |               |  |  |  |
| Customer / Owner :               | Project Name :  |   |               |  |  |  |
| Address :                        | ·   |   |               |  |  |  |
| City / Town :                    | Prov / State :  |   |               |  |  |  |
| Country:                         | Postal / Zip Code :   |   |               |  |  |  |
| Site Contact Name :              |   | Cell :                                  |               |  |  |  |
| Site Legal Description :         |   |   |               |  |  |  |
| PRICING and OPTIONS:             |   |   |               |  |  |  |
| List Below : Base Quote and Opt  | ions to be included   | Weight (lbs)                            | Price         |  |  |  |
| Base Building as per Quote N     |   | vvciBire (183)                          | 11100         |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  | Total (not including Taxes)   |   |               |  |  |  |
| SPECS. DRAWINGS and SKETCH       | IES: Provide drawings or a sketch indicating locations of all framed of   | nenings                                 |               |  |  |  |
| Have Independent Engineer or Co  |   | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |               |  |  |  |
| Have architectural or your own d |   |   |               |  |  |  |
|                                  | wings were provided, are the openings and details correct :               | NO YES                                  |               |  |  |  |
|                                  | es, Architectural Drawings, or Specs / Addendums Provided                 |   |               |  |  |  |
| <u> </u>                         | es, monteetara brawings, or speed / materialins rovided                   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  |   |   |               |  |  |  |
|                                  | ete this section if you require provincial schedules for permitting and/  |   |               |  |  |  |
| **Schedules will only be cor     | npleted for the design of the structure; field reviews are not complete   | d by BEHLEN                             |               |  |  |  |
| Schedule(s) Required: ——         |   |   |               |  |  |  |
|                                  | OTHER (please specify):   |   |               |  |  |  |
| Authority Having Jurisdiction    |   |   |               |  |  |  |
| Schedules canno                  | ot be completed if the site address, legal description, or Authority Ha   | ving Jurisdiction are mi                | issing e      |  |  |  |
| BEHLEN DRAWINGS:                 |   |   |               |  |  |  |
| Number of working days require   | od for Annroyal Response  | Il cause delays to your sche            | odula!        |  |  |  |
|                                  | t of 11" x 17" will be E-mailed to the Builder's Office for Approval/Perr |   | cuile:        |  |  |  |
|                                  | wings will act as a set of Approval Drawings and a response will be re    |   | n fabrication |  |  |  |
|                                  | PDF Set of 11" x 17" will be E-mailed to the Builders Office and (1) pape |   |               |  |  |  |
| □                                | DELLI EN INDUSTRISCI O CONSTITUCIO O CONT                                 |   |               |  |  |  |
| <del>-</del>                     | ept BEHLEN INDUSTRIES LP CONDITIONS OF SALE                               |   |               |  |  |  |
| Order Date :                     | Builder Signature :   |   |               |  |  |  |

| CLADDING and TRIM COLOURS:   |  |
|--|--|
| **Custom Colours not on the Standard Colour Chart or list:               | s below are available at additional cost, please consult your estimator    |
| Select colors for all items below that are included in your o            | order  |
| Roof Panels Screw Down :   | Framed Opening Trim :  |
| Roof Panels SSR :  | Corner Trim :  |
| Wall Exterior Panels :   | Eave (Gutter) & Gable Trim :   |
| Wall Exterior Accent Panels :  | Base Trim :  |
| Liner Roof Panels :  | Downspouts :   |
| Liner Wall / Partition Panels :  | Eave & Gable Soffit :  |
| Canopy Roof Panels :   | Canopy Soffit :  |
| Liner Profile Above Overhead Door :                                      |  |
| Base Elevation of Exterior Cladding Panels : 1" Below Floo               | or 1" Below Top of Curb Other - Provide Notes                              |
| Base Elevation of Interior Liner Panels :                                | @ Top of Curb Other - Provide Notes  |
| COMPLETE ORDER CHECKLIST:  |  |
| Load Conditions : (confirm you have reviewed the loads used on your quot | te & made corrections if necessary)  |
| Drawing Measurements : (confirm your requirements)                       | erial Metric   |
| Roof Top Units (HVAC) : NO YES   | Data Sheets Attached Other - Provide Notes                                 |
| Suspended Units (HVAC) : NO YES  | Data Sheets Attached Other - Provide Notes                                 |
| Cranes or Monorails :  | Data Sheets Attached Other - Provide Notes                                 |
| Mezzanine : NO YES   | - Independent YES - by BEHLEN Use of Floor :                               |
| Non Standard Doors (Bi-Fold, Sliding, Rolling) : NO YES                  | Data Sheets Attached Other - Provide Notes                                 |
| Open Wall Area / Existing Buildings : NO YES                             | Information Attached Other - Provide Notes                                 |
| Parapets / Fascia / Façade : NO YES                                      | Information Attached Other - Notes and / or Drawings or Sketches Req'd     |
| Canopies : NO YES  | - Standard YES - Custom - Notes and / or Drawings or Sketches Req'd        |
| GROUT, CURBS and DADO WALLS:   |  |
| Grout : NO YES Confirm Thickness :                                       | (Maximum of 2.0" or 51mm)  |
| Curb: NO YES Height:   | Height Varies - Notes and / or Drawings or Sketches Req'd                  |
| Dado Wall : NO YES Height :  | Height Varies - Notes and / or Drawings or Sketches Req'd                  |
| Located in Girt Cavity Located Outsi                                     | ide of Girt Cavity Other - Provide Notes Dado Wall Width :                 |
| BASE PLATE ELEVATIONS: Frame, Endwall and Interior Column                | ıs   |
| Frame : @ Floor Top of Curb or Dado Wall                                 | Elevation Varies - Notes and / or Drawings or Sketches Req'd               |
| Endwall : @ Floor Top of Curb or Dado Wall                               | Elevation Varies - Notes and / or Drawings or Sketches Req'd               |
| Interior : None @ Floor Elevation Vari                                   | ies - Drawing or Sketch Req'd Distance : Above Floor Below Floor           |
| FRAMED OPENINGS: Sill and Jamb Elevations                                |  |
|  | rovide Notes Jamb: @ Floor Top of Curb Other - Provide Notes               |
| Walk Door Sill: @ Floor Top of Curb Other - Pr                           | rovide Notes Jamb: @ Floor Top of Curb Other - Provide Notes               |
| INSULATION and THERMAL BLOCK and FASTENERS:                              |  |
|  | nless otherwise requested - BEHLEN will supply Standard Fasteners as noted |
|  | that work with the insulation and thermal conditions you have supplied.    |
| Wall Insulation / Thermal System :                                       | Thickness:   |
| Roof Insulation / Thermal System :                                       | Thickness:   |
| Wall Thermal Block :   | Thickness:   |
| Roof Thermal Block :   | Thickness:   |
| Roof Thermal Block Location :  |  |
| ROOT THEFMAL BLOCK LOCATION :  |  |
| <b>ADDITIONAL NOTES / SHIPPING NOTES / SPECIAL REQUIREME</b>             | :NTS:  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |



## **IMP PACKAGE DETAILS:**

\*\*COMPLETE THIS SECTION ONLY IF YOU HAVE PURCHASED AN IMP PACKAGE WITH YOUR BUILDING ORDER. Please note that Behlen standard colours for regular cladding are different than Behlen standard colours for IMP.

|                                | Thickness | Gauge | Panel Profile<br>(Skyline SSR, Horizon Wall,<br>Leading Edge Wall) | Steel Profile<br>(Mesa or Flat) | Finish<br>(Smooth, Light Embossed,<br>Heavy Embossed) | Colour |
|--------------------------------|-----------|-------|--|---------------------------------|---|--------|
| ROOF EXTERIOR<br>Panel         |           |       |  |                                 |   |        |
| ROOF INTERIOR<br>Panel         |           |       |  |                                 |   |        |
| WALL EXTERIOR<br>Panel         |           |       |  |                                 |   |        |
| WALL INTERIOR<br>Panel         |           |       |  |                                 |   |        |
| ACCENT/ADD'L<br>EXTERIOR Panel |           |       |  |                                 |   |        |
| ACCENT/ADD'L<br>INTERIOR Panel |           |       |  |                                 |   |        |
| Ridge Cap<br>EXTERIOR          | -         |       | -  | -                               |   |        |
| Ridge Cap<br>INTERIOR          | -         |       | -  | -                               |   |        |
| Framed Openings                | -         |       | -  | -                               |   |        |
| Corner Trim                    | -         |       | -  | -                               |   |        |
| Eave (Gutter) &<br>Gable Trim  | -         |       | -  | -                               |   |        |
| Base Trim                      | -         |       | -  | -                               |   |        |
| Downspouts                     | -         |       | -  | -                               |   |        |

## PLEASE NOTE THE FOLLOWING:

- All information regarding your IMP package must be provided at time of order submission, including colours, as some colours can take up to 16 weeks to order. IMP packages will not be reconciled until all information on the above chart has been provided.
- Custom Colours NOT listed above can be purchased at an additional cost. Consult with your Estimator regarding pricing and availability.
- 22 Gauge material is considered "Custom" and is purchased to order please note that these coils have a 12-16 week lead time from time of order. Colour availability is limited in 22 Gauge please consult with your Estimator on availability and pricing.
- 22 Gauge colour selections cannot be changed once the order has been placed materials are not ordered until approvals have been signed and returned.